



Nymi Firmware Release Notes

NF 5.0.5

2026-05-13
Version 3

Contents

Contents.....	2
Nymi Firmware 5.0.5.....	3
New In This Release	4
Backwards Compatibility	5
Upgrading to NF 5.0.5	6
Known Issues and Limitations.....	6

Table 1: Revision History

Version	Date	Revision History
1	October 14, 2025	First release of document
2	October 16, 2025	Editorial changes
3	May 13, 2026	Updated - Table 1: Backwards Compatibility Table

Nymi Firmware 5.0.5

The Nymi Band connects people with technology through safe, simple, and secure solutions. It supports numerous use cases and digital systems and combines point solutions into a single offering.

The goal is to simplify the connection of deskless workers to the digital space found in modern organizations. When the barriers to secure digital work are removed, workers can focus on what they do best.

The objective of this release is to introduce a variant of Nymi Band 4 that does not include the secure element (also referred to as SIM card). This variant will be sold to customers that do not have use cases for Seos or Legic. The firmware changes introduced support this new variant.

NF 5.0.5 is a patch release with Risk Level 0.

Components

NF v5.0.5 includes the following components:

- Firmware version for Nymi Band 4 — 5.0.5.6

Nymi Documentation Package

The changes in this release do not create any core documentation changes.

The Nymi Band HID Seos User Manual has been updated to include information about decoding the Nymi Band serial number. This can be used to determine if the Nymi Band contains a SIM card.

For latest documentations visit the Nymi Support site.

- To access all the core documents, visit: <https://support.nymi.com/hc/en-us/categories/38896763552276-Nymi-Band-4>
-
- To access all the secondary documents, visit: <https://support.nymi.com/hc/en-us/sections/40446969854740-Supporting-Documentation>



NFC Reader Support

NFC readers were not explicitly tested under the present release. For a list of NFC readers supported in this release, please refer to the [Supported NFC Readers](#) document.

New In This Release

Nymi Band without Seos or Legic

The objective of this release is to introduce a variant of Nymi Band 4 that does not include the secure element (also referred to as SIM card). This variant will be sold to customers that do not have use cases for Seos or Legic. The firmware changes introduced support this new variant.

Backwards Compatibility

The only component updated in this release is firmware. This firmware can be used with any Nymi Band 4.

Table 1: Backwards Compatibility Table

		Nymi Infrastructure					
		CWP 1.7.1	CWP 1.9.3	CWP 1.17.2	CWP 1.19.x	CWP 1.20.x	
Firmware	Nymi Band 4	NF5.0.3	•	•	•	•	○
		NF5.0.5	○	○	○	•	○

Legend:

- Compatible, fully verified
- Expect to be compatible, not verified
- Not compatible (empty box)

Upgrading to NF 5.0.5

Nymi Band 4 can be upgraded to NF 5.0.5 using the Firmware Update Tool.

Known Issues and Limitations

Table 2: Known Issues in NF 5.0.3

Issue Number	Description
NF-4915	<p>Issue: There is no haptic feedback when pressing the button when display is dim.</p> <p>Workaround: The press will awaken the Nymi Band at which point it will respond to pressing of the button.</p>



Copyright © 2025
Nymi Inc. All rights reserved.

Nymi Inc. (Nymi) believes the information in this document is accurate as of its publication date. The information is subject to change without notice.

The information in this document is provided as-is and Nymi makes no representations or warranties of any kind. This document does not provide you with any legal rights to any intellectual property in any Nymi product. You may copy and use this document for your referential purposes.

This software or hardware is developed for general use in a variety of industries and Nymi assumes no liability as a result of their use or application. Nymi, Nymi Band, and other trademarks are the property of Nymi Inc. Other trademarks may be the property of their respective owners.

Published in Canada.
Nymi Inc.
Toronto, Ontario
www.nymi.com